

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7165-1483:118 Page 1 of 1

CATEGORY: Control Unit (Non High-Rise)

LISTEE: Mirtone, 90 Fieldstone Ct., Cheshire, CT 06410
Contact: Brad Miller (888) 649-9827 Fax (203) 699-3108

DESIGN: Models MIR-1Z1, MIR-1Z1R, MIR-2Z1 and MIR-2Z1R fire alarm control units. Local, auxiliary, central station, remote station, automatic, manual, waterflow and sprinkler supervisory service. System components:

MODEL	PART NUMBER	DESCRIPTION
N/A	PP#46199-1036	Single Zone Base Module
N/A	PP#46199-1035	Dual Zone Base Module
RCT-1	PP#46213-2106	Relay-City Tie (FDR) Module
2400-DL	PP#46213-2058	Digital Alarm Comm Transmitter
DL1	PP#46213-2058	Digital Alarm Comm Transmitter
RTUDR	PP#46213-2058	Remote Trouble Unit Driver

Refer to listee's data sheet for additional detailed product description and operational considerations.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as fire alarm control units for use with separately listed compatible initiating and indicating devices.

This control unit does not generate a temporal pattern signal. If the distinctive three-pulse Temporal Pattern Fire Alarm Evacuation Signal (for total evacuation) in accordance with NFPA 72, 1999 Edition is required, the control unit must be used with appliances that can generate the temporal pattern signal. Refer to manufacturer's Installation Manual for details.

NOTE: For Fire Alarm Verification Feature, the maximum Retard/Reset/Restart period must be adjusted to 30 seconds or less.

XLF: 7165-1388:179

06-03-97



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 22, 2004**

*Listing Expires **June 30, 2005***

Authorized By: **DIANE K. AREND, Senior Deputy
Program Manager**